

Delfield's 4400 Series Meets Your Needs.

Our 4400 series prep tables provide an integrated design solution to your salad, sandwich and other meal preparation needs. Designed to be easy to work from, they provide a compact area where storage and assembly areas are combined to create an efficient production system. Labor productivity is high. Operational costs are low. Food is kept at safe, consistent temperatures, keeping your meal quality high and your food waste costs low.

Versatile design options let you configure Delfield's 4400 Series units to your needs.



Door/Drawer Locks



Exterior Thermometer



Interior Light
(available on units without pan openings)



Remote Refrigeration Configuration



Door/Drawer Combinations



Double-sided Cutting Boards



Tray Slide Mounting

Pan Cutout Location variability



4400 Series

Features & Benefits



- Front breathing design: means no bumpers on the back and no grills in the side. You can put your unit flush to the wall in the back and put other equipment right next to it, saving valuable kitchen space.
- 6" deep pans: 4400's perform, even with product, placed in large volume 6" deep pans. Delfield's 4400 prep tables adapt to your operation, you don't have to adapt your operation to the equipment capabilities.
- 3 Tough, easy to clean ABS interiors: They stand up to wear and tear in a busy kitchen and are easy to keep clean and sanitary.
- 4 Reversible cutting board: Easy to clean, convenient to use. Antimicrobial treatment for increased sanitation.
- 5 Long life door gasket: Durable vinyl material, magnetic snap in type design for assured door seal and easy removal for cleaning or replacement. Protected from tearing by thermoformed ABS door liner that comes out past the gasket to keep pans, boxes and other items from coming into contact with the gasket as they are loaded and unloaded.
- 6 Mounted on casters: Casters make the unit easy to move for cleaning or reorganization.
- **Targe capacity interiors:** Lots of storage space and easy shelf adjustment.

A wide variety of Types, Sizes and Capacities...





- (8) Efficient, energy saving polyurethane foam insulation: A full 2" thick high density environmentally friendly, Kyoto Protocol compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane foam throughout
- 9 Self closing doors: Hinges are concealed in the door to avoid damage. Cam lift system assures that the doors self-close past 90°, while staying open for convenient access at 120°.
- Insulated pan cover: Covers are insulated with ABS material to keep the heat out and avoid condensation on the exterior surface.



4400 series units available with doors or drawers.



Delfield's drawers are designed to hold up in busy kitchens.



- Full extension for easy access
- Heavy-duty construction for long life reliability
- 14-gauge stainless steel drawer box
- 14-gauge stainless steel profile
- 12-gauge stainless steel general construction
- Self lubricating Delrin rollers



Pan capacities from 6-1/6 pans to 30-1/6 pans

1/6	1/6	
1/6	1/6	
1/6	1/6	

Delfield



Pan covers that fit your application.









Lift off

Slide back

Delfield's 4400 Series prep tables exceed performance requirements of the NSF7 standard.

All Delfield's 4400 Series prep tables are equipped with...





Which gives you...

- All the benefits of solid state electronics with the operational ease of standard controls.
- Faster pull down times.
- More even temperatures.
- Reduced compressor cycling; longer compressor life.
- · Lower energy costs.
- System operational optimization with Adaptive Defrost that keeps the evaporator free of ice no matter how harsh the environment.

Quick payback through energy savings.



Delfield's 4400 Series prep tables can save you as much as \$400 per year in energy costs over other leading competitors.



PHONE: 800-733-8948 / FAX: 800-669-0619 / WEB: WWW.DELFIELD.COM

Delfield's 4400/4500 Series Undercounter Refrigerators and Freezers



- Sizes from 27" wide to 72" wide
- 100% front breathing
- Doors or drawers
- Glass doors available on refrigerators
- Durable ABS interiors
- Tough, good looking stainless steel exteriors
- Heavy duty, self closing hinges
- · Long life gasket design
- Energy saving hot gas condensate removal

Delfield's 4400/4500 Series Refrigerator and Freezer Worktables



- Sizes from 27" wide to 72" wide
- Flat tops or tops with backsplash
- 100% front breathing
- Doors or drawers
- Glass doors available on refrigerators
- Durable ABS interiors
- Tough, good looking stainless steel exteriors
- Heavy duty, self closing hinges
- Long life gasket design
- Energy saving hot gas condensate removal

	1					12.000	
MODEL	DESCRIPTION	L	D	Н	AMP	PAN CAPACITY	
SALAD TOPS							
4427N-6, D4427N-6	REFRIGERATOR	27"	31.5"	36"	7.2	6	
UC4427N-6, UCD4427N-6	REFRIGERATOR	27"	31.5"	34.25"	7.2	6	
4448N-8, D4448N-8	REFRIGERATOR	48"	31.5"	36"	7.2	8	
ST4448N-8, STD4448N-8	REFRIGERATOR	48"	31.5"	36"	7.2	8	
UC4448N-8, UCD4448N-8	REFRIGERATOR	48"	31.5"	34.25"	7.2	8	
4448N-12, D4448N-12	REFRIGERATOR	48"	31.5"	36"	7.2	12	
UC4448N-12, UCD4448N-12	REFRIGERATOR	48"	31.5"	34.25"	7.2	12	
4460N-8, D4460N-8	REFRIGERATOR	60"	31.5"	36"	12.0	8	
ST4460N-8, STD4460N-8	REFRIGERATOR	60"	31.5"	36"	12.0	8	
UC4460N-8, UCD4460N-8	REFRIGERATOR	60"	31.5"	34.25"	12.0	8	
4460N-12, D4460N-12	REFRIGERATOR	60"	31.5"	36"	12.0	12	
UC4460N-12, UCD4460N-12	REFRIGERATOR	60"	31.5"	34.25"	12.0	12	
4464N-8, D4464N-8	REFRIGERATOR	64"	31.5"	36"	12.0	8	
ST4464N-8, STD4464N-8	REFRIGERATOR	64"	31.5"	36"	12.0	8	
UC4464N-8, UCD4464N-8	REFRIGERATOR	64"	31.5"	34.25"	12.0	8	
4464N-12, D4464N-12	REFRIGERATOR	64"	31.5"	36"	12.0	12	
ST4464N-12, STD4464N-12	REFRIGERATOR	64"	31.5"	36"	12.0	12	
UC4464N-12, UCD4464N-12	REFRIGERATOR	64"	31.5"	34.25"	12.0	12	
4464N-16, D4464N-16	REFRIGERATOR	64"	31.5"	36"	12.0	16	
UC4464N-16, UCD4464N-16	REFRIGERATOR	64"	31.5"	34.25"	12.0	16	
4472N-12, D4472N-12	REFRIGERATOR	72"	31.5"	36"	12.0	12	
ST4472N-12, STD4472N-12	REFRIGERATOR	72"	31.5"	36"	12.0	12	
UC4472N-12, UCD4472N-12	REFRIGERATOR	72"	31.5"	34.25"	12.0	12	
4472N-18, D4472N-18	REFRIGERATOR	72"	31.5"	36"	12.0	18	
UC4472N-18, UCD4472N-18	REFRIGERATOR	72"	31.5"	34.25"	12.0	18	
MEGA TOPS							
4427N-9M, D4427N-9M	REFRIGERATOR	27"	31.5"	36"	7.2	9	
4427N-12M, D4427N-12M	REFRIGERATOR	27"	31.5"	36"	7.2	12	
ST4427N-12M, STD4427N-12M	REFRIGERATOR	27"	31.5"	36"	7.2	12	
UC4427N-9M, UCD4427N-9M	REFRIGERATOR	27"	31.5"	34.25"	7.2	9	
UC4427N-12M, UCD4427N-12M	REFRIGERATOR	27"	31.5"	34.25"	7.2	12	
4432N-12M, D4432N-12M	REFRIGERATOR	32"	31.5"	36"	7.2	12	
UC4432N-12M, UCD4432N-12M	REFRIGERATOR	32"	31.5"	34.25"	7.2	12	
4448N-18M, D4448N-18M	REFRIGERATOR	48"	31.5"	36"	7.2	18	
UC4448N-18M, UCD4448N-18M	REFRIGERATOR	48"	31.5"	34.25"	7.2	18	
4460N-12M, D4460N-12M	REFRIGERATOR	60"	31.5"	36"	12.0	12	
ST4460N-12M, STD4460N-12M	REFRIGERATOR	60"	31.5"	36"	12.0	12	
UC4460N-12M, UCD4460N-12M	REFRIGERATOR	60"	31.5"	34.25"	12.0	12	
4460N-18M, D4460N-18M	REFRIGERATOR	60"	31.5"	36"	12.0	18	
ST4460N-18M, STD4460N-18M	REFRIGERATOR	60"	31.5"	36"	12.0	18	
UC4460N-18M, UCD4460N-18M	REFRIGERATOR	60"	31.5"	34.25"	12.0	18	
4460N-24M, D4460N-24M	REFRIGERATOR	60"	31.5"	36"	12.0	24	
UC4460N-24M, UCD4460N-24M	REFRIGERATOR	60"	31.5"	34.25"	12.0	24	
4464N-12M, D4464N-12M	REFRIGERATOR	64"	31.5"	36"	12.0	12	
ST4464N-12M, STD4464N-12M	REFRIGERATOR	64"	31.5"	36"	12.0	12	
UC4464N-12M, UCD4464N-12M	REFRIGERATOR	64"	31.5"	34.25"	12.0	12	
4464N-18M, D4464N-18M	REFRIGERATOR	64"	31.5"	36"	12.0	18	
ST4464N-18M, STD4464N-18M	REFRIGERATOR	64"	31.5"	36"	12.0	18	
UC4464N-18M, UCD4464N-18M	REFRIGERATOR	64"	31.5"	34.25"	12.0	18	
4464N-24M, D4464N-24M	REFRIGERATOR	64"	31.5"	36"	12.0	24	
UC4464N-24M, UCD4464N-24M	REFRIGERATOR	64"	31.5"	34.25"	12.0	24	
4472N-18M, D4472N-18M	REFRIGERATOR	72"	31.5"	36"	12.0	18	

MODEL	DESCRIPTION	L	D	н	AMP	PAN CAPACITY			
ST4472N-18M, STD4472N-18M	REFRIGERATOR	72"	31.5"	36"	12.0	18			
UC4472N-18M, UCD4472N-18M	REFRIGERATOR	72"	31.5"	34.25"	12.0	18			
4472N-24M, D4472N-24M	REFRIGERATOR	72"	31.5"	36"	12.0	24			
ST4472N-24M, STD4472N-24M	REFRIGERATOR	72"	31.5"	36"	12.0	24			
UC4472N-24M, UCD4472N-24M	REFRIGERATOR	72"	31.5"	34.25"	12.0	24			
4472N-30M, D4472N-30M	REFRIGERATOR	72"	31.5"	36"	12.0	30			
UC4472N-30M, UCD4472N-30M	REFRIGERATOR	72"	31.5"	34.25"	12.0	30			
WORKTABLES									
402	REFRIGERATOR	27"	28.5"	39.5"	7.0	NA			
403	FREEZER	27"	28.5"	39.5"	5.8	NA			
ST4048	REFRIGERATOR	48"	28.5"	39.5"	4.0	NA			
ST4148	FREEZER	48"	28.5"	39.5"	5.6	NA			
4427N, D4427N	REFRIGERATOR	27"	31.5"	36"	3.9	NA			
ST4427N, STD4427N	REFRIGERATOR	27"	31.5"	36"	3.9	NA			
4432N, D4432N	REFRIGERATOR	32"	31.5"	36"	3.9	NA			
ST4432N, STD4432N	REFRIGERATOR	32"	31.5"	36"	3.9	NA			
4448N, D4448N	REFRIGERATOR	48"	31.5"	36"	3.9	NA			
ST4448N, STD4448N	REFRIGERATOR	48"	31.5"	36"	3.9	NA			
4460N, D4460N	REFRIGERATOR	60"	31.5"	36"	3.9	NA			
ST4460N, STD4460N	REFRIGERATOR	60"	31.5"	36"	3.9	NA			
UC4460N, UCD4460N	REFRIGERATOR	60"	31.5"	34.25"	3.9	NA			
4464N, D4464N	REFRIGERATOR	64"	31.5"	36"	3.9	NA			
ST4464N, STD4464N	REFRIGERATOR	64"	31.5"	36"	3.9	NA			
UC4464N, UCD4464N	REFRIGERATOR	64"	31.5"	34.25"	3.9	NA			
4472N, D4472N	REFRIGERATOR	72"	31.5"	36"	3.9	NA			
ST4472N, STD4472N	REFRIGERATOR	72"	31.5"	36"	3.9	NA			
UC4472N, UCD4472N	REFRIGERATOR	72"	31.5"	34.25"	3.9	NA			
4532N, D4532N	FREEZER	32"	31.5"	36"	9.5	NA			
ST4532N, STD4532N	FREEZER	32"	31.5"	36"	9.5	NA			
UC4532N, UCD4532N	FREEZER	32"	31.5"	34.25"	9.5	NA			
4560N	FREEZER	60"	31.5"	36"	12.0	NA			
ST4560N	FREEZER	60"	31.5"	36"	12.0	NA			
UC4560N	FREEZER	60"	31.5"	34.25"	12.0	NA			
UNDERCOUNTERS									
406	REFRIGERATOR	27"	28.5"	35.5"	4.0	NA			
407	FREEZER	27"	28.5"	35.5"	5.8	NA			
406-CA	REFRIGERATOR	27"	27.75"	33.25"	4.0	NA			
407-CA	FREEZER	27"	27.75"	33.25"	5.8	NA			
UC4048	REFRIGERATOR	48"	28.5"	35.5"	4.0	NA			
UC4148	FREEZER	48"	28.5"	35.5"	5.6	NA			
UC4427N, UCD4427N	REFRIGERATOR	27"	31.5"	34.25"	3.9	NA			
UC4432N, UCD4432N	REFRIGERATOR	32"	31.5"	34.25"	3.9	NA			
UC4448N, UCD4448N	REFRIGERATOR	48"	31.5"	34.25"	3.9	NA			
UC4460N, UCD4460N	REFRIGERATOR	60"	31.5"	34.25"	12.0	NA			
UC4464N, UCD4464N	REFRIGERATOR	64"	31.5"	34.25"	12.0	NA			
UC4472N, UCD4472N	REFRIGERATOR	72"	31.5"	34.25"	12.0	NA			
UC4532N, UCD4532N	FREEZER	32"	31.5"	34.25"	9.5	NA			
UC4560N	FREEZER	60"	31.5"	34.25"	12.0	NA			

Manitowoc Foodservice is a global company dedicated to bringing value to foodservice operators by equipping them with highly individualized real-world answers that enhance menus, service, profits, and efficiency.

To learn how Manitowoc Foodservice and its leading brands can equip you, visit our global web site at www.manitowocfoodservice.com then find the regional or local resources available to you.

